INDEX TO AUTHORS.

A

Anderson, R. J., and **Roberts, E. Gilman.** Concerning the carbohydrates associated with the ether-soluble lipoids of tubercle bacilli, xvii

Anderson, William E. See REED, YAMAGUCHI, ANDERSON, and MENDEL, 147

Andrews, James C. The deaminization of cystine, 681

— and **Wyman, Pauline D.** Mercury derivatives of cysteine, 427

—. See MILLER and ANDREWS, 435

Angevine, Robert W. See SPERRY and ANGEVINE, xxii

Arenstam, Jacob J. See DIONNE and ARENSTAM, 393

Ashby, Gerald. See BILLS, MASSENGALE, and PRICKETT, 259

Audrieth, L. F. See DU VIGNEAUD, AUDRIETH, and LORING, xxx

B

Barbour, H. G., Gregg, D. E., and **Hunter, L. G.** Changes in metabolic rate, fuel, and water balance on withdrawal of dogs from morphine, xlv

Barron, E. S. Guzman, Harrop, George A., Jr., Perlzweig, William A., and **Pierce, H. F.** The acid-base equilibrium in dogs under reduced oxygen tension, xxv

Basherov, S. See STEENBOCK, HART, RIISING, HOPPERT, BASHEROV, and HUMPHREY, 103

Bayliss, L. E., and **Walker, Arthur M.** The electrical conductivity of glomerular urine from the frog and from *Necturus*, 523

Beard, Howard H., and **Myers, Victor C.** Further observations on the effect of inorganic elements in nutritional anemia, xxxix

Bell, Marion, and **Kleiner, Israel S.** The rate of dialysis of normal and diabetic blood sugar of human subjects, xxxv

Berg, Clarence P. The production of kynurenic acid from tryptophane derivatives, x

Bills, Charles E., Massengale, O. N., and **Prickett, Paul S.** Factors determining the ergosterol content of yeast. I. Species, 259

—, **McDonald, Francis G.,** and **Cox, Warren M., Jr.** The isoergosterols and vitamin D, liii

Binkley, Neva L. See LEWIS and BINKLEY, xxiii
Bischoff, Fritz, and **Long, M. Louisa.** The depletion of muscle sugar by adrenalin, 47
—, —, and **Hill, Elsie.** Plasma pH in cancer, liv
Bliss, Sidney. The extrarenal neutralization of acid by ammonia, xxx
Bloor, W. R., and **Snider, Ruth H.** The neutral fat of beef liver and other tissues, 399
Bock, A. V. See HENDERSON, BOCK, DILL, and EDWARDS, 181
Bock, Joseph C. The interferometric determination of alcohol in blood, xxviii
Bodansky, Meyer, and **Schwab, Edward H.** Creatine metabolism in a case of progressive myositis ossificans: a comparison with generalized myositis fibrosa, x
Boyd, Julian D. See STEARNS and BOYD, xv, lvi
Brand, Erwin, Harris, Meyer M., Sandberg, Marta, and **Lasker, Margaret M.** Further studies on the origin of creatine, ix
Breckenridge, Gerald F. See HOGAN, SHREWSBURY, and BRECKENRIDGE, xlii
Breh, F., and **Gaebler, Oliver Henry.** The determination of potassium in blood serum, 81
Brewe, C. See GRAY, 591
Buchwald, K. W. See CORI and BUCHWALD, xxxviii
Burk, Norval F., and **Greenberg, David M.** The physical chemistry of the proteins in non-aqueous and mixed solvents. I. The state of aggregation of certain proteins in urea-water solutions, 197

C

Calvery, Herbert O. Some chemical investigations of embryonic metabolism. V. The tyrosine, tryptophane, cystine, cysteine, and uric acid content of the developing hen's egg, 691
Cavett, J. W. A comparison of blood proteins with those of nephritic urine and edema fluids, xvi
Cerecedo, Leopold R. See EMERSON and CERECEDO, 453
Chandler, Joseph P., and **Lewis, Howard B.** The intermediary metabolism of phenylalanine, lvi
Chanutin, Alfred. The effect of fasting and creatine ingestion upon the creatine and nitrogen content of the white rat, viii
Chase, W. D. See SULLIVAN, HESS, and CHASE, xxiv
Chen, K. K. See JENSEN and CHEN, xxxi, 741, 755
Church, Anna E. See NORRIS and CHURCH, 139
Cohn, Edwin J., McMeekin, Thomas L., and **Minot, George R.** The nature of the material effective in pernicious anemia. IV, xlix
Cori, Carl F., and **Buchwald, K. W.** The action of epinephrine and insulin under anaerobic conditions, xxxviii
—, **Villiaume, Edward L.,** and **Cori, Gerty T.** Studies on intestinal absorption. II.

The absorption of ethyl alcohol, 19

Cori, Gerty T. Studies on intestinal absorption. I. The absorption of lactic acid, 13

—. See CORI, VILLIAUME, and CORI, 19

Cox, Warren M., Jr. See BILLS, MCDONALD, and COX, liii

Csonka, Frank A., Horn, M. J., and **Jones, D. Breese.** Studies on glutelins, xviii

D

Davenport, H. A., Davenport, Helen K., and **Ranson, S. W.** Chemical studies of muscle contracture. IV. Changes in phosphorus, nitrogen, and fat produced by tetanus toxin, 295

Davenport, Helen K. See DAVENPORT, DAVENPORT, and RANSON, 295

DeLawder, A. See JENSEN and DELAWDER, xlvi, 701

Deuel, Harry J., Jr. The glucose tolerance curves in phlorhizinized dogs with and without glucose, xxxvi

Dill, D. B., Talbott, J. H., Edwards, H. T., and **Fölling, A.** Oxygen transport, xxvi

—. See FLORKIN, EDWARDS, DILL, and HENDERSON, xxv

—. See HENDERSON, BOCK, DILL, and EDWARDS, 181

Dionne, Maurice J., and **Arenstam, Jacob J.** The fluctuations of the capillary blood sugar in normal young women during a twenty-four hour period, 393

Doisy, Edward A. See VELER, THAYER, and DOISY, 357

Drabkin, David L., and **Ravdin, Isidor S.** The mechanism of convulsions in insulin hypoglycemia. iii

Drissen, Edward M. See WILLIAMS and DRISSEN, 441

Du Bois, Eugene F. See MCCLELLAN and DU BOIS, 651

E

Eagle, H. See MICHAELIS and EAGLE, 713

Eckstein, H. C., and **Wile, Udo J.** Lipid studies in xanthoma, 311

Eddy, Walter H., Gurin, Samuel, and **Keresztesy, John.** The Williams-Waterman vitamin B_3, 729

Edwards, H. T. See DILL, TALBOTT, EDWARDS, and FÖLLING, xxvi

—. See FLORKIN, EDWARDS, DILL, and HENDERSON, xxv

—. See HENDERSON, BOCK, DILL, and EDWARDS, 181

Eichelberger, L. See KOEHLER and EICHELBERGER, xxxviii

Emerson, Oliver H., and **Cerecedo, Leopold R.** Studies on the physiology of pyrimidines. II. The metabolism of the nucleosides of uracil and cytosine, 453

— and **Kirk, Paul L.** The apparent dissociation constant of glycine ethyl ester, 597

Evans, Herbert M. See LEPKOVSKY, WOOD, and EVANS, 239

Everett, Mark R. Total sugar of blood and urine. III. The reducing action of glutathione, 761

— and **Sheppard, Fay.** Sugar of normal urine, xxxv

F

Florkin, Marcel. Studies in the physical chemistry of the proteins. VII. The solubility of fibrinogen in concentrated salt solutions. 629

—, **Edwards, H. T., Dill, D. B.,** and **Henderson, L. J.** Oxygen utilization in the legs of normal men, xxv

Fölling, A. See DILL, TALBOTT, EDWARDS, and FÖLLING, xxvi

Foster, G. L., and **Gutman, A. B.** On the fate of diiodotyrosine in the animal organism, 289

Freeman, Benjamin, Livingston, A. E., and **Richards, A. N.** A second series of quantitative estimations of the concentration of chlorides in glomerular urine from frogs. 467

G

Gaebler, Oliver Henry. See BREH and GAEBLER, 81

Grant, Rhoda. See LONG and GRANT, lviii

Gray, Samuel H. The blood cholesterol following repeated administrations of chloroform, paraldehyde, and urethane, 591

Greenberg, David M. See BURK and GREENBERG, 197

Greenwald, Isidor, and **Levy, Irving.** The preparation of lipoid-free serum. Apparatus for extraction at low temperatures, 281

Greenwood, Mary L. See OKEY, STEWART, and GREENWOOD, 91

Gregg, D. E. See BARBOUR, GREGG, and HUNTER, xlv

Griffith, Wendell H. The relation between the intake of protein and the synthesis of glycine in rats. xiii

Gross, J. See HESS, WEINSTOCK, RIVKIN, and GROSS, 37

Gurin, Samuel. See EDDY, GURIN, and KERESZTESY, 729

—. See WILLIAMS, WATERMAN, and GURIN, 559

Gutman, A. B. See FOSTER and GUTMAN, 289

H

Harris, Meyer M. See BRAND, SANDBERG, and LASKER, ix

Harrop, George A., Jr. See BARREN, HARROP, PERLZWEIG, and PIERCE, xxv

Hart, E. B. See STEENBOCK, HART, RIISING, HOPPERT, BASHEROV, and HUMPHREY, 103

—. See STEENBOCK, HART, RIISING, KLETZIEN, and SCOTT, 127

Hawk, Philip B. The sex variations of the livers and the liver oil of the Norwegian cod, xlviii

Hawkins, James A. See Van Slyke and Hawkins, 265
Hawks, Jean E. See Wang and Hawks, v
Heki, Mutsuo. See Osato and Heki, 541
Henderson, L. J., Bock, A. V., Dill, D. B., and Edwards, H. T. Blood as a physicochemical system. IX. The carbon dioxide dissociation curves of oxygenated human blood, 181
—. See Florkin, Edwards, Dill, and Henderson, xxv
Hess, Alfred F., Weinstock, Mildred, Rivkin, H., and Gross, J. The lack of relationship between the development and cure of rickets and the inorganic phosphorus concentration of the blood, 37
Hess, W. C. See Sullivan, Hess, and Chase, xxiv
Hill, Elsie. See Bischoff, Long, and Hill, liv
Hogan, Albert G., Shrewsbury, Charles L., and Breckenridge, Gerald F. Destruction of vitamin A by radioactive materials, xlii
Hoppert, C. A. See Steenbock, Hart, Rhising, Hoppert, Basherov, and Humphrey, 103
Horn, N. J. See Csonka, Horn, and Jones, xviii
Humphrey, G. C. See Steenbock, Hart, Rhising, Hoppert, Basherov, and Humphrey, 103
Hunter, L. G. See Barbour, Gregg, and Hunter, xlv

J

Jackson, Richard W. β-Oxidation in the indole series, xiv
Jacobs, Walter A., and Scott, Albert B. The hydrogenation of unsaturated lactones to desoxy acids, 601
Jensen, H., and Chen, K. K. Chemical studies of toad poisons, xxxi
— and —. Chemical studies on toad poisons. II. Ch'an su, the dried venom of the Chinese toad, 741
— and —. Chemical studies on toad poisons. III. The secretion of the tropical toad, *Bufo marinus*, 755
— and **DeLawder, A.** Further studies on crystalline insulin, xlvi
— and —. Studies on crystalline insulin. IX. The adsorption of insulin on charcoal, 701
Johlin, J. M. The influence of pH and solution concentration on the surface tension of gelatin solutions determined by the sessile bubble method, 319
—. The interfacial adsorption of gelatin as a function of the concentration and pH of its solutions, xix
Jones, D. Breese. See Csonka, Horn, and Jones, xviii
—. See Nelson and Jones, xlvii

K

Kay, H. D. Plasma phosphatase in diseases of bone, lii

Kendall, Edward C., Mason, Harold L., and **McKenzie, Bernard F.** Crystalline glutathione, xli

—, —, and —. A study of glutathione. III. The structure of glutathione, 55

Kennedy, Cornelia. See PALMER and KENNEDY, xlv

Keresztesy, John. See EDDY, GURIN, and KERESZTESY, 729

Kik, M. C. See SURE, KIK, and SMITH, xlii

King, C. G. See MCKINNIS and KING, 615

Kirk, Paul L. See EMERSON and KIRK, 597

Kleiner, Israel S. See BELL and KLEINER, xxxv

Klemme, Dorothea. See POE and KLEMME, 7

Kletzien, S. W. F. See STEENBOCK, HART, RHISING, KLETZIEN, and SCOTT, 127

Koehler, Alfred E., and **Eichelberger, L.** The suprarenal epinephrine-lipoid combination, xxxviii

L

Lasker, Margaret M. See BRAND, HARRIS, SANDBERG, and LASKER, ix

Laug, E. P., and **Wilson, D. Wright.** The determination of the pH of serum with the quinhydrone electrode, xxvii

Lepkovsky, Samuel, Wood, Clarence, and **Evans, Herbert M.** Glucose tolerance in avitaminosis due to low antineuritic vitamin B, 239

Levene, P. A., and **Stevens, P. G.** Configurational relationships of phenylated carbinols, 375

Levy, Irving. See GREENWALD and LEVY, 281

Lewis, Howard B., and **O'Connor, Marie F.** Cystinuria and tuberculosis, lvii

—. See CHANDLER and LEWIS, lvi

Lewis, Robert C., and **Binkley, Neva L.** A method for the determination of blood chlorides, xxiii

Livingston, A. E. See FREEMAN, LIVINGSTON, and RICHARDS, 467

Long, C. N. H., and **Grant, Rhoda.** The mechanism of the recovery process after exercise in mammals, lviii

Long, M. Louisa. See BISCHOFF and LONG, 47

—. See BISCHOFF, LONG, and HILL, liv

Looney, Joseph M. Blood urea nitrogen by direct Nesslerization, xxix

Loring, H. S. See DU VIGNEAUD, AUDRIETH, and LORING, xxx

M

MacArthur, Edith H. Fat metabolism. I. A study of the rate of digestion of fats as determined by the chylomicrons of the blood, 299

Mason, Harold L. See KENDALL, MASON, and MCKENZIE, 55

—. See KENDALL, MASON, and MCKENZIE, xli

Massengale, O. N., and **Nussmeier, Mildred.** The action of activated ergosterol in

the chicken. I. The effect on the calcium and inorganic phosphorus of the blood serum, 415
— and —. The action of activated ergosterol in the chicken. II. The prevention of leg weakness, 423
—. See BILLS, MASSENGALE, and PRICKETT, 259
McCay, C. M. The nutritional requirements of brook trout, v
McClellan, Walter S., and **Du Bois, Eugene F.** Clinical calorimetry. XLV. Prolonged meat diets with a study of kidney function and ketosis, 651
—, **Rupp, Virgil R.,** and **Toscani, Vincent.** Clinical calorimetry. XLVI. Prolonged meat diets with a study of the metabolism of nitrogen, calcium, and phosphorus, 669
McClendon, J. F. Carbohydrate, volatile fatty acids, water retention, and clinical symptoms, vii
McDonald, Francis G. See BILLS, MCDONALD, and COX, liii
—. See RUSSELL and MCDONALD, iv
McKenzie, Bernard F. See KENDALL, MASON, and MCKENZIE, 55, xli
McKinnis, Ronald B., and **King, C. G.** The nature of vitamin C. A study of its electrical transference, 615
McMeekin, Thomas L. See COHN, MCMEEKIN, and MINOT, xlix
Medes, Grace. A hitherto undescribed inborn (?) error of metabolism related to tyrosine, xi
Mendel, Lafayette B. See REED, YAMAGUCHI, ANDERSON, and MENDEL, 147
Michaelis, L. Diethylbarbiturate buffer, 33
— and **Eagle, H.** Some redox indicators, 713
Miller, H. K., and **Andrews, James C.** The optical activity of *d*-arginine, 435
Minot, George R. See COHN, MCMEEKIN, and MINOT, xlix
Miyamoto, Sadaichi, and **Schmidt, Carl L. A.** Compound amino acids, 327
Morrison, D. B., and **Nash, Thomas P., Jr.** The copper content of infant livers, xl
Munday, Betty. See SEIBERT and MUNDAY, xvii
Muntwyler, Edward, and **Way, Charles T.** Alkalosis observed in cases with persistent hypertension, lv
Musgrave, F. F. See YOUNG and MUSGRAVE, xvi
Myers, Victor C. See BEARD and MYERS, xxxix
—. See PFIFFNER and MYERS, 345

N

Nash, Thomas P., Jr. See MORRISON and NASH, xl
Nasset, E. S., and **Pierce, H. B.** The influence of yeast on nitrogen retention in normal and depancreatized dogs, xli

Nelson, E. M., and **Jones, D. Breese.** Nutrition studies with cotton seed demonstrating the toxicity of gossypol to the rat, xlvii

Nelson, J. M., and **Palmer, A. H.** Diffusion of yeast invertase through collodion membranes, 1

Norris, Earl R., and **Church, Anna E.** A study of the antimony trichloride color reaction for vitamin A. II. The dilution curve of cod liver oil with antimony trichloride reagent, 139

Nussmeier, Mildred. See Massengale and Nussmeier, 415, 423

O

O'Connor, Marie F. See Lewis and O'Connor, lvii

Okey, Ruth. A micro method for the estimation of cholesterol by oxidation of the digitonide. The effect of various procedures for saponification upon apparent cholesterol values, xxi

—, **Stewart, Jean M.**, and **Greenwood, Mary L.** Studies of the metabolism of women. IV. The calcium and inorganic phosphorus in the blood of normal women at the various stages of the monthly cycle, 91

Ort, John M. Active glucose at biological hydrogen ion concentrations, xxxiv

Osato, Shungo, and **Heki, Mutsuo.** On the micro determination of lipids in tissues, 541

P

Palmer, A. H. See Nelson and Palmer, 1

Palmer, Leroy S., and **Kennedy, Cornelia.** The fundamental food requirements for the growth of the rat. VI. The influence of the food consumption and the efficiency quotient of the animal, xlv

Parsons, Helen T. Urea concentrations in the blood of rats as affected by suckling the young, xliv

Perlzweig, William A. See Barron, Harrop, Perlzweig, and Pierce, xxv

Pfiffner, J. J., and **Myers, Victor C.** On the colorimetric estimation of guanidine bases in blood, 345

Pierce, H. B. See Nasset and Pierce, xli

Pierce, H. F. See Barron, Harrop, Perlzweig, and Pierce, xxv

Poe, Charles F., and **Klemme, Dorothea.** Reducing equivalents for some rare sugars as determined by colorimetric methods, 7

Power, Marschelle H. See Wakefield and Power, xv

Preisler, Paul W. Kinetics of the reduction of cystine and related dithio (R–S–S–R) acids by reversible oxidation-reduction systems, 767

Prickett, Paul S. See Bills, Massengale, and Prickett, 259

Pruess, L. M. Production of sterols by various molds, xliii

R

Rabinowitch, I. M. The colloidal osmotic pressure of blood in diabetes mellitus, lvii

Ranson, S. W. See DAVENPORT, DAVENPORT, and RANSON, 295

Ravdin, Isidor S. See DRABKIN and RAVDIN, iii

Reed, Lucille L., Yamaguchi, Fumiko, Anderson, William E., and **Mendel, Lafayette B.** Factors influencing the distribution and character of adipose tissue in the rat, 147

Richards, A. N. A simple instrument for micro manipulations, 463

— and **Walker, Arthur M.** Quantitative studies of the glomerular elimination of phenol red and indigo carmine in frogs, 479

—. See FREEMAN, LIVINGSTON, and RICHARDS, 467

Riising, Blanche M. See STEENBOCK, HART, RIISING, HOPPERT, BASHEROV, and HUMPHREY, 103

—. See STEENBOCK, HART, RIISING, KLETZIEN, and SCOTT, 127

Rivkin, H. See HESS, WEINSTOCK, RIVKIN, and GROSS, 37

Robbins, Benjamin H. A proteolytic enzyme in ficin, the anthelmintic principle of leche de higueron, 251

Roberts, E. Gilman. See ANDERSON and ROBERTS, xvii

Roe, Joseph H. Blood chemistry studies with hens bearing Rous sarcoma No. 1, liv

Roehm, Richard R. See WILLIAMS and ROEHM, 581

Ronzoni, Ethel. Evidence of the activation of fructose in the enzymatic hydrolysis of sucrose, xxxiii

Rupp, Virgil R. See MCCLELLAN, RUPP, and TOSCANI, 669

Russell, Walter C., and **McDonald, Francis G.** The effect of calcium citrate and carbonate upon the evacuation of a protein from the stomach and the pH of the contents, iv

S

Sandberg, Marta. See BRAND, HARRIS, SANDBERG, and LASKER, ix

Schmidt, Carl L. A. See MIYAMOTO and SCHMIDT, 327

Schwab, Edward H. See BODANSKY and SCHWAB, x

Scott, Albert B. See JACOBS and SCOTT, 601

Scott, H. T. See STEENBOCK, HART, RIISING, KLETZIEN, and SCOTT, 127

Seibert, Florence B., and **Munday, Betty.** Fractionations of the tuberculin protein, xvii

Shaffer, Philip A. See WENDEL and SHAFFER, xx

Shea, Eleanor R. See TAYLOR, 27

Sheppard, Fay. See EVERETT and SHEPPARD, xxxv

Shrewsbury, Charles L. See HOGAN, SHREWSBURY, and BRECKENRIDGE, xlii

Sinclair, Robert Gordon. The rate of phospholipid metabolism, xxiii

Slawson, Chester B. Crystallographic description of theelin, 373

Smith, Margaret Elizabeth. See SURE, KIK, and SMITH, xlii

Snider, Ruth H. See BLOOR and SNIDER, 399

Somogyi, Michael. Nitrogenous substances in zinc filtrates of human blood, 339

—. The use of heavy metal salts for the preparation of blood filtrates for analysis, xxxii

Sperry, Warren M., and **Angevine, Robert W.** The secretion of lipids into the intestine, xxii

Stearns, Genevieve, and **Boyd, Julian D.** Calcium and phosphorus metabolism in relation to certain bone diseases. I. Hypercalcuria, xv

— and—. Calcium and phosphorus metabolism in relation to certain bone diseases. II. Hypocalcuria, lvi

Steenbock, H., Hart, E. B., Riising, Blanche M., Hoppert, C. A., Basherov, S., and **Humphrey, G. C.** Fat-soluble vitamins. XXVIII. The antirachitic value of cow's milk as modified by exposure of the cow to sunlight and to radiations from a quartz mercury vapor lamp, 103

—,—,—, **Kletzien, S. W. F.,** and **Scott, H. T.** Fat-soluble vitamins. XXIX. Is antirachitic activation induced by ultra-violet radiations a panacea for negative calcium balances? 127

Stevens, P. G. See LEVENE and STEVENS, 375

Stewart, Jean M. See OKEY, STEWART, and GREENWOOD, 91

Sullivan, M. X., Hess, W. C., and **Chase, W. D.** The estimation of cystine in tissue and urine, xxiv

Sure, Barnett, Kik, M. C., and **Smith, Margaret Elizabeth.** Further studies on the biochemistry of avitaminosis, xlii

T

Talbott, J. H. See DILL, TALBOTT, EDWARDS, and FÖLLING, xxvi

Tashiro, Shiro, and **Tietz, Esther Bogen.** A simple test for levulose (ketose?) in glucides, 307

Tauber, Henry. Studies on crystalline urease. Inactivation by ultra-violet radiation, sunlight with the aid of a photodynamic agent, and inactivation by trypsin, 625

Taylor, F. H. L. The determination of potassium in blood serum, 27

Thayer, Sidney. See VELER, THAYER, and DOISY, 357

Tietz, Esther Bogen. See TASHIRO and TIETZ, 307

Toscani, Vincent. See MCCLELLAN, RUPP, and TOSCANI, 669

Turner, R. G. A micro colorimetric method for the quantitative estimation of iodine in blood, xxix

U

Urban, Frank. Liquid junction potentials of concentrated sodium hydroxide solutions, xix

V

Van Slyke, Donald D., and **Hawkins, James A.** Studies of gas and electrolyte equilibria in blood. XVI. The evolution of carbon dioxide from blood and buffer solutions, 265

Veler, Clement D., Thayer, Sidney, and **Doisy, Edward A.** The preparation of the crystalline follicular ovarian hormone: theelin, 357

du Vigneaud, Vincent, Audrieth, L. F., and **Loring, H. S.** The reduction of cystine in liquid ammonia by metallic sodium, xxx

Villiaume, Edward L. See Cori, Villiaume, and Cori, 19

W

Wakefield, E. G., and **Power, Marschelle H.** The determination of inorganic and conjugated sulfates in biological fluids, xv

Walker, Arthur M. Comparisons of total molecular concentration of glomerular urine and blood plasma from the frog and from *Necturus*, 499

—. See Bayliss and Walker, 523

—. See Richards and Walker, 479

Wang, Chi Che, and **Hawks, Jean E.** A preliminary report on the basal metabolism and the caloric and protein intake of American born Chinese children, v

Waterman, Robert E. See Williams, Waterman, and Gurin, 559

Way, Charles T. See Muntwyler and Way, lv

Weinstock, Mildred. See Hess, Weinstock, Rivkin, and Gross, 37

Wendel, W. B., and **Shaffer, Philip A.** Induced oxidations in blood. Oxidation of lactic to pyruvic acid by methylene blue, xx

Wesson, Laurence G. Metabolic rates and respiratory quotients of rats following the ingestion of dextrin, liii

Wile, Udo J. See Eckstein and Wile, 311

Williams, John Warren, and **Drissen, Edward M.** Oxidation-reduction potentials of certain sulfhydryl compounds, 441

Williams, Robert R., Waterman, Robert E., and **Gurin, Samuel.** The Jansen and Donath procedure for the isolation of antineuritic vitamin, 559

Williams, Roger J., and **Roehm, Richard R.** The effect of antineuritic vitamin preparations on the growth of yeasts, 581

Wilson, D. Wright. See Laug and Wilson, xxvii

Wilson, Robert H. The rate of absorption of cystine from the gastrointestinal tract of the white rat, 175

Wood, Clarence. See Lepkovsky, Wood, and Evans, 239

Wyman, Pauline D. See Andrews and Wyman, 427

Y

Yamaguchi, Fumiko. See Reed, Yamaguchi, Anderson, and Mendel, 147

Young, E. Gordon, and **Musgrave, F. F.** Colloidal uric acid, xvi

INDEX TO SUBJECTS.

A

Absorption:
Intestinal. I (Cori) 13
—. II (Cori, Villiaume, and Cori) 19

Acid(s):
Desoxy, lactones, unsaturated, hydrogenation to (Jacobs and Scott) 601
Neutralization, extrarenal, ammonia (Bliss) xxx

Acid-base balance:
Oxygen tension, reduced (Barron, Harrop, Perlzweig, and Pierce) xxv

Adrenalin:
Sugar, muscle, depletion (Bischoff and Long) 47

Adsorption:
Interfacial, gelatin solutions (Johlin) xix

Alcohol:
Blood, determination, interferometric (Bock) xxviii
Determination, interferometric, blood (Bock) xxviii

Alkalosis:
Hypertension, persistent (Muntwyler and Way) lv

Amino acid(s):
Compound (Miyamoto and Schmidt) 327

Ammonia:
Acid neutralization, extrarenal (Bliss) xxx
Liquid, cystine reduction, metallic sodium (du Vigneaud, Audrieth, and Loring) xxx

Anemia:
Nutritional, inorganic elements, effect (Beard and Myers) xxxix
Pernicious, liver. IV (Cohn, McMeekin, and Minot) xlix

Antimony trichloride:
Cod liver oil dilution curve (Norris and Church) 139
Vitamin A, color reaction. II (Norris and Church) 139

Apparatus:
Extraction, low temperatures (Greenwald and Levy) 281
Micro manipulations (Richards) 463

***d*-Arginine:**
Optical activity (Miller and Andrews) 435

Avitaminosis:
Biochemistry (Sure, Kik, and Smith) xlii
Glucose tolerance, antineuritic vitamin (Lepkovsky, Wood, and Evans) 239

B

Basal metabolism:
Children, Chinese, American born (WANG and HAWKS) v
Morphine withdrawal, changes (BARBOUR, GREGG, and HUNTER) xlv

Beef:
Liver, fat, neutral (BLOOR and SNIDER) 399
Tissue, fat, neutral (BLOOR and SNIDER) 399

Biological fluid(s):
Sulfates, conjugated, determination (WAKEFIELD and POWER) xv
—, inorganic, determination (WAKEFIELD and POWER) xv

Blood:
Alcohol, determination, interferometric (BOCK) xxviii
Calcium, women, monthly cycle (OKEY, STEWART, and GREENWOOD) 91
Carbon dioxide dissociation curves, oxygenated human (HENDERSON, BOCK, DILL, and EDWARDS) 181
— — evolution from (VAN SLYKE and HAWKINS) 265
Chlorides, determination (LEWIS and BINKLEY) xxiii
Cholesterol, chloroform effect (GRAY) 591
—, paraldehyde effect (GRAY) 591
—, urethane effect (GRAY) 591

Blood—*continued:*
Chylomicron, fat digestion rate determined by (MACARTHUR) 299
Diabetes mellitus, colloidal osmotic pressure (RABINOWITCH) lvii
Electrolyte and gas equilibria. XVI (VAN SLYKE and HAWKINS) 265
Filtrates, metal salts, heavy, preparation (SOMOGYI) xxxii
—, zinc, nitrogenous substances (SOMOGYI) 339
Gas and electrolyte equilibria. XVI (VAN SLYKE and HAWKINS) 265
Guanidine bases, determination, colorimetric (PFIFFNER and MYERS) 345
Iodine, determination, colorimetric, micro (TURNER) xxix
Lactic acid oxidation to pyruvic acid by methylene blue (WENDEL and SHAFFER) xx
Osmotic pressure, colloidal, diabetes mellitus (RABINOWITCH) lvii
Oxidations, induced (WENDEL and SHAFFER) xx
Oxygenated human, carbon dioxide dissociation curves (HENDERSON, BOCK, DILL, and EDWARDS) 181
Phosphorus, inorganic, rickets, relation (HESS, WEINSTOCK, RIVKIN, and GROSS) 37

Blood—*continued:*
Phosphorus, inorganic, women, monthly cycle (Okey, Stewart, and Greenwood) 91
Physicochemical system. IX (Henderson, Bock, Dill, and Edwards) 181
Proteins, edema fluids, nephritic urine, comparison (Cavett) xvi
—, nephritic urine, edema fluids, comparison (Cavett) xvi
Sarcoma, Rous No. 1, chemistry (Roe) liv
Sugar, capillary, women, diurnal fluctuations (Dionne and Arenstam) 393
—, diabetic, dialysis rate (Bell and Kleiner) xxxv
—, dialysis rate (Bell and Kleiner) xxxv
—, total. III (Everett) 761
Urea nitrogen, Nesslerization, direct (Looney) xxix
—, suckling effect (Parsons) xliv

Blood plasma:
Cancer, hydrogen ion concentration (Bischoff, Long, and Hill) liv
Hydrogen ion concentration, cancer (Bischoff, Long, and Hill) liv
Molecular concentration, total, glomerular urine, comparison, frog (Walker) 499

Blood plasma—*continued:*
Molecular concentration, total, glomerular urine, comparison, *Necturus* (Walker) 499
Phosphatase, bone disease (Kay) lii

Blood serum:
Calcium, ergosterol, activated, effect (Massengale and Nussmeier) 415
Hydrogen ion concentration determination, quinhydrone electrode (Laug and Wilson) xxvii
Lipoid-free, preparation (Greenwald and Levy) 281
Phosphorus, inorganic, ergosterol, activated, effect (Massengale and Nussmeier) 415
Potassium determination (Breh and Gaebler) 81
— — (Taylor) 27

Bone:
Diseases, calcium metabolism, relation. I (Stearns and Boyd) xv
—, — —, —. II (Stearns and Boyd) lvi
—, phosphatase, blood plasma (Kay) lii
—, phosphorus metabolism, relation. I (Stearns and Boyd) xv
—, — —, —. II (Stearns and Boyd) lvi

Buffer:
Carbon dioxide evolution from (Van Slyke and Hawkins) 265
Diethylbarbiturate (Michaelis) 33

Bufo marinus:
See Toad.

C

Calcium:
Balances, negative, ultraviolet radiations, antirachitic relationship (Steenbock, Hart, Riising, Kletzien, and Scott) 127
Blood serum, ergosterol, activated, effect (Massengale and Nussmeier) 415
—, women, monthly cycle (Okey, Stewart, and Greenwood) 91
Meat diet, prolonged (McClellan, Rupp, and Toscani) 669
Metabolism, bone diseases, relation. I (Stearns and Boyd) xv
—, — —, —. II (Stearns and Boyd) lvi
—, hypercalcuria (Stearns and Boyd) xv
—, hypocalcuria (Stearns and Boyd) lvi

Calcium carbonate:
Hydrogen ion concentration, stomach contents, effect (Russell and McDonald) iv
Protein evacuation, stomach, effect (Russell and McDonald) iv

Calcium citrate:
Hydrogen ion concentration, stomach contents, effect (Russell and McDonald) iv
Protein evacuation, stomach, effect (Russell and McDonald) iv

Calorie:
Intake, children, Chinese, American born (Wang and Hawks) v

Calorimetry:
Clinical. XLV (McClellan and Du Bois) 651
—. XLVI (McClellan, Rupp, and Toscani) 669

Cancer:
Blood plasma hydrogen ion concentration (Bischoff, Long, and Hill) liv

Carbinol(s):
Phenylated, configurational relationships (Levene and Stevens) 375

Carbohydrate(s):
Lipoids, ether-soluble, tubercle bacillus (Anderson and Roberts) xvii
Tubercle bacillus, ether-soluble lipoids (Anderson and Roberts) xvii
Water retention, relationship (McClendon) vii

Carbon dioxide:
Blood, evolution (Van Slyke and Hawkins) 265
Buffer solutions, evolution (Van Slyke and Hawkins) 265
Dissociation curves, blood, oxygenated human (Henderson, Bock, Dill, and Edwards) 181

Ch'an su:
(Jensen and Chen) 741

Charcoal:
Insulin adsorption (JENSEN and DE LAWDER) 701
Chloride(s):
Blood, determinations (LEWIS and BINKLEY) xxiii
Determination, blood (LEWIS and BINKLEY) xxiii
Urine, glomerular, frog (FREEMAN, LIVINGSTON, and RICHARDS) 467
Chloroform:
Cholesterol, blood, effect (GRAY) 591
Cholesterol:
Blood, chloroform effect (GRAY) 591
—, paraldehyde effect (GRAY) 591
—, urethane effect (GRAY) 591
Determination, micro, digitonide oxidation (OKEY) xxi
Saponification effect (OKEY) xxi
Chylomicron:
Blood, fat digestion rate determined by (MACARTHUR) 299
Cod:
Liver, sex variations (HAWK) xlviii
Cod liver oil:
Dilution curve, antimony trichloride (NORRIS and CHURCH) 139
Sex variations (HAWK) xlviii
Collodion:
Membranes, yeast invertase diffusion (NELSON and PALMER) 1
Colloid:
Osmotic pressure, blood, diabetes mellitus (RABINOWITCH) lvii
Uric acid (YOUNG and MUSGRAVE) xvi
Colorimetric determination:
Guanidine bases, blood (PFIFFNER and MYERS) 345
Iodine, blood, micro method (TURNER) xxix
Convulsion:
Insulin hypoglycemia, mechanism (DRABKIN and RAVDIN) iii
Copper:
Liver, infant (MORRISON and NASH) xl
Cottonseed:
Toxicity (NELSON and JONES) xlvii
Creatine:
Content, creatine ingestion effect (CHANUTIN) viii
—, fasting effect (CHANUTIN) viii
Ingestion, creatine content, effect (CHANUTIN) viii
—, nitrogen content, effect (CHANUTIN) viii
Metabolism, myositis ossificans (BODANSKY and SCHWAB) x
Origin (BRAND, HARRIS, SANDBERG, and LASKER) ix
Crystallography:
Theelin (SLAWSON) 373
Cysteine:
Egg, developing, hen's (CALVERY) 691

Cysteine—*continued:*
Mercury derivatives (Andrews and Wyman) 427
Cystine:
Absorption, gastrointestinal, rate (Wilson) 175
Deaminization (Andrews) 681
Determination, tissue (Sullivan, Hess, and Chase) xxiv
—, urine (Sullivan, Hess, and Chase) xxiv
Egg, developing, hen's (Calvery) 691
Gastrointestinal absorption, rate (Wilson) 175
Reduction, liquid ammonia, by metallic sodium (du Vigneaud, Audreith, and Loring) xxx
—, oxidation-reduction systems, kinetics (Preisler) 767
Tissue, determination (Sullivan, Hess, and Chase) xxiv
Urine, determination (Sullivan, Hess, and Chase) xxiv
Cystinuria:
Tuberculosis (Lewis and O'Connor) lvii
Cytosine:
Nucleoside, metabolism (Emerson and Cerecedo) 453

D

Dextrin:
Metabolic rate following ingestion (Wesson) liii
Dextrin—*continued:*
Respiratory quotient, following ingestion (Wesson) liii
Diabetes:
Blood sugar, dialysis rate (Bell and Kleiner) xxxv
Mellitus, blood, colloidal osmotic pressure (Rabinowitch) lvii
Diet:
Meat, calcium metabolism (McClellan, Rupp, and Toscani) 669
—, ketosis (McClellan and Du Bois) 651
—, kidney function (McClellan and Du Bois) 651
—, nitrogen metabolism (McClellan, Rupp, and Toscani) 669
—, phosphorus metabolism (McClellan, Rupp, and Toscani) 669
Diethylbarbiturate:
Buffer (Michaelis) 33
Digestion:
Fats, rate, determined by chylomicrons of blood (MacArthur) 299
Diiodotyrosine:
Fate, animal organism (Foster and Gutman) 289
Dilution curve:
Cod liver oil, antimony trichloride (Norris and Church) 139
Dissociation constant:
Apparent, glycine ethyl ester (Emerson and Kirk) 597

Dissociation curve:
Carbon dioxide, blood, oxygenated human (HENDERSON, BOCK, DILL, and EDWARDS) 181

Dithio acid(s):
Reduction, oxidation-reduction systems, kinetics (PREISLER) 767

E

Edema:
Fluids, proteins, blood, nephritic urine, comparison (CAVETT) xvi
—, —, nephritic urine, blood, comparison (CAVETT) xvi

Efficiency quotient:
Growth influence (PALMER and KENNEDY) xlv

Egg:
Cysteine, developing, hen's (CALVERY) 691
Cystine, developing, hen's (CALVERY) 691
Developing, hen's, cysteine (CALVERY) 691
—, —, cystine (CALVERY) 691
—, —, tryptophane (CALVERY) 691
—, —, tyrosine (CALVERY) 691
—, —, uric acid (CALVERY) 691
Tryptophane, developing, hen's (Calvery) 691
Tyrosine, developing, hen's (CALVERY) 691
Uric acid, developing, hen's (CALVERY) 691

Electrical conductivity:
Urine, glomerular, frog (BAYLISS and WALKER) 523
—, —, *Necturus* (BAYLISS and WALKER) 523

Electrical transfer:
Vitamin C (MCKINNIS and KING) 615

Electrode:
Quinhydrone, hydrogen ion concentration determination, blood serum (LAUG and WILSON) xxvii

Electrolyte:
Equilibrium, gas and, in blood. XVI (VAN SLYKE and HAWKINS) 265

Embryo:
Metabolism. V (CALVERY) 691

Energy:
Morphine withdrawal, changes (BARBOUR, GREGG, and HUNTER) xlv

Enzyme:
Proteolytic, in ficin (ROBBINS) 251
Sucrose hydrolysis, fructose activation (RONZONI) xxxiii
See also Invertase, Phosphatase, Trypsin, Urease.

Epinephrine:
Anaerobic conditions, action (CORI and BUCHWALD) xxxviii
-Lipoid combination, suprarenal (KOEHLER and EICHELBERGER) xxxviii

Equilibrium:
Electrolyte and gas, in blood. XVI (Van Slyke and Hawkins) 265
Gas and electrolyte, in blood. XVI (Van Slyke and Hawkins) 265
Ergosterol:
Activated, action. I (Massengale and Nussmeier) 415
—, —. II (Massengale and Nussmeier) 423
—, calcium, blood serum, effect (Massengale and Nussmeier) 415
—, leg weakness prevention (Massengale and Nussmeier) 423
—, phosphorus, inorganic, blood serum, effect (Massengale and Nussmeier) 415
Iso-, and vitamin D (Bills, McDonald, and Cox) liii
Yeast, content. I (Bills, Massengale, and Prickett) 259
—, —, various species (Bills, Massengale, and Prickett) 259
Ethyl alcohol:
Absorption, intestine (Cori, Villiaume, and Cori) 19
Intestinal absorption (Cori, Villiaume, and Cori) 19
Exercise:
Recovery process, mechanism, mammals (Long and Grant) lviii

F

Fasting:
Creatine content, effect (Chanutin) viii
Nitrogen content, effect (Chanutin) viii
Fat:
Adipose tissue, character (Reed, Yamaguchi, Anderson, and Mendel) 147
— —, distribution (Reed, Yamaguchi, Anderson, and Mendel) 147
Digestion rate, determined by chylomicrons of blood (MacArthur) 299
Liver, neutral, beef (Bloor and Snider) 399
Metabolism. I (MacArthur) 299
Muscle contracture, tetanus toxin, changes (Davenport, Davenport, and Ranson) 295
Neutral, liver, beef (Bloor and Snider) 399
—, tissues, beef (Bloor and Snider) 399
-Soluble vitamins. XXVIII (Steenbock, Hart, Riising, Hoppert, Basherov, and Humphrey) 103
— —. XXIX (Steenbock, Hart, Riising, Kletzien, and Scott) 127
Tissues, beef, neutral (Bloor and Snider) 399
Fatty acid(s):
Volatile, water retention, relationship (McClendon) vii

Fibrinogen:
Solubility, salt solutions, concentrated (FLORKIN) 629

Ficin:
Enzyme, proteolytic, in (ROBBINS) 251

Food:
Consumption, growth influence (PALMER and KENNEDY) xlv
Growth requirement. VI (PALMER and KENNEDY) xlv

Frog:
Blood plasma, molecular concentration, total, glomerular urine, comparison (WALKER) 499
Urine, glomerular, electrical conductivity (BAYLISS and WALKER) 523
—, —, molecular concentration, total, blood plasma, comparison (WALKER) 499

Fructose:
Activation, sucrose hydrolysis, enzymatic (RONZONI) xxxiii

G

Gas:
Equilibrium, electrolyte and, in blood. XVI (VAN SLYKE and HAWKINS) 265

Gastrointestinal tract:
Cystine absorption rate (WILSON) 175

Gelatin:
Solutions, interfacial adsorption, concentration, relation (JOHLIN) xix

Gelatin—*continued:*
Solutions, interfacial adsorption, hydrogen ion concentration, relation (JOHLIN) xix
—, surface tension, concentration, sessile bubble method, influence (JOHLIN) 319
—, — —, hydrogen ion concentration, sessile bubble method, influence (JOHLIN) 319

Glomerulus:
Indigo carmine elimination, frog (RICHARDS and WALKER) 479
Phenol red elimination, frog (RICHARDS and WALKER) 479
Urine, chlorides, frog (FREEMAN, LIVINGSTON, and RICHARDS) 467
—, electrical conductivity, frog (BAYLISS and WALKER) 523
—, — —, *Necturus* (BAYLISS and WALKER) 523
—, molecular concentration, total, blood plasma, comparison, frog (WALKER) 499
—, — —, —, blood plasma, comparison, *Necturus* (WALKER) 499

Glucide:
Ketose, test (TASHIRO and TIETZ) 307
Levulose, test (TASHIRO and TIETZ) 307

Glucose:
Active, hydrogen ion concentrations, biological (ORT) xxxiv

Glucose—*continued:*
Tolerance, avitaminosis, antineuritic vitamin (LEPKOVSKY, WOOD, and EVANS) 239
— curves, phlorhizinized dog, glucose effect (DEUEL) xxxvi

Glutathione:
III (KENDALL, MASON, and MCKENZIE) 55
Crystalline (KENDALL, MASON, and MCKENZIE) xli
Reducing action (EVERETT) 761
Structure (KENDALL, MASON, and MCKENZIE) 55

Glutelin:
(CSONKA, HORN, and JONES) xviii

Glycine:
Ethyl ester, dissociation constant, apparent (EMERSON and KIRK) 597
Synthesis, protein intake, ralation (GRIFFITH) xiii

Gossypol:
Toxicity (NELSON and JONES) xlvii

Growth:
Efficiency quotient, influence (PALMER and KENNEDY) xlv
Food consumption, influence (PALMER and KENNEDY) xlv
— requirement. VI (PALMER and KENNEDY) xlv

Guanidine:
Bases, blood, determination, colorimetric (PFIFFNER and MYERS) 345
—, determination, colorimetric, blood (PFIFFNER and MYERS) 345

H

Hormone:
Ovarian, follicular, preparation, crystalline (VELER, THAYER, and DOISY) 357

Hydrogen ion concentration:
Biological, glucose, active (ORT) xxxiv
Blood plasma, cancer (BISCHOFF, LONG, and HILL) liv
— serum, determination, quinhydrone electrode (LAUG and WILSON) xxvii
Determination, quinhydrone electrode, blood serum (LAUG and WILSON) xxvii
Gelatin solutions, interfacial adsorption, relation (JOHLIN) xix
— —, surface tension, sessile bubble method, influence (JOHLIN) 319
Stomach contents, calcium carbonate effect (RUSSELL and MCDONALD) iv
— —, — citrate effect (RUSSELL and MCDONALD) iv

Hypercalcuria:
Calcium metabolism (STEARNS and BOYD) xv

Hypercalcuria—*continued:*
Phosphorus metabolism (Stearns and Boyd) xv
Hypertension:
Alkalosis (Muntwyler and Way) lv
Hypocalcuria:
Calcium metabolism (Stearns and Boyd) lvi
Phosphorus metabolism (Stearns and Boyd) lvi
Hypoglycemia:
Insulin, convulsions, mechanism (Drabkin and Ravdin) iii

I

Indicator:
Oxidation-reduction (Michaelis and Eagle) 713
Indigo carmine:
Elimination, glomerular, frog (Richards and Walker) 479
Indole:
β-Oxidation (Jackson) xiv
Inorganic elements:
Anemia, nutritional, effect (Beard and Myers) xxxix
Insulin:
Adsorption, charcoal (Jensen and De Lawder) 701
Anaerobic conditions, action (Cori and Buchwald) xxxviii
Crystalline (Jensen and De Lawder) xlvi
—. IX (Jensen and De Lawder) 701
Insulin—*continued:*
Hypoglycemia convulsions, mechanism (Drabkin and Ravdin) iii
Interferometric determination:
Alcohol, blood (Bock) xxviii
Intestine:
Absorption. I (Cori) 13
—. II (Cori, Villiaume, and Cori) 19
—, ethyl alcohol (Cori, Villiaume, and Cori) 19
—, lactic acid (Cori) 13
Lipid secretion (Sperry and Angevine) xxii
Invertase:
Yeast, diffusion, collodion membranes (Nelson and Palmer) 1
Iodine:
Blood, determination, colorimetric, micro (Turner) xxix
Determination, colorimetric, micro, blood (Turner) xxix
Isoergosterol:
Vitamin D (Bills, McDonald, and Cox) liii

J

Jansen-Donath:
Antineuritic vitamin, isolation procedure (Williams, Waterman, and Gurin) 559

K

Ketose:
Test, glucides (Tashiro and Tietz) 307

Ketosis:
Meat diet, prolonged (McClellan and Du Bois) 651
Kidney:
Function, meat diet, prolonged (McClellan and Du Bois) 651
Kynurenic acid:
Production from tryptophane derivatives (Berg) x
Tryptophane derivatives, production (Berg) x

L

Lactic acid:
Absorption, intestine (Cori) 13
Blood, oxidation to pyruvic acid by methylene blue (Wendel and Shaffer) xx
Intestinal absorption (Cori) 13
Lactone:
Unsaturated, hydrogenation to desoxy acids (Jacobs and Scott) 601
Leche de higueron:
Anthelmintic principle in (Robbins) 251
Ficin, anthelmintic principle in (Robbins) 251
Leg:
Oxygen utilization, normal men (Florkin, Edwards, Dill, and Henderson) xxv
Leg weakness:
Ergosterol, activated, prevention (Massengale and Nussmeier) 423
Levulose:
Test, glucides (Tashiro and Tietz) 307
Lipid(s):
Determination, micro, tissues (Osato and Heki) 541
Secretion, intestine (Sperry and Angevine) xxii
Tissues, determination, micro (Osato and Heki) 541
Xanthoma (Eckstein and Wile) 311
Lipoid:
Epinephrine-, combination, suprarenal (Koehler and Eichelberger) xxxviii
Ether-soluble, tubercle bacillus, carbohydrates (Anderson and Roberts) xvii
-Free serum, preparation (Greenwald and Levy) 281
Liquid junction:
Potential, concentrated sodium hydroxide solutions (Urban) xix
Liver:
Anemia, pernicious, IV (Cohn, McMeekin, and Minot) xlix
Cod, sex variations (Hawk) xlviii
Copper, infant (Morrison and Nash) xl
Fat, neutral, beef (Bloor and Snider) 399

M

Meat:
Diet, prolonged, calcium metabolism (McClellan, Rupp, and Toscani) 669

Meat—*continued:*
Diet, prolonged, ketosis (McClellan and Du Bois) 651
—, —, kidney function (McClellan and Du Bois) 651
—, —, nitrogen metabolism (McClellan, Rupp, and Toscani) 669
—, —, phosphorus metabolism (McClellan, Rupp, and Toscani) 669

Membrane:
Collodion, yeast invertase diffusion (Nelson and Palmer) 1

Mercury:
Cysteine, derivatives (Andrews and Wyman) 427

Metabolism:
Basal. *See* Basal metabolism.
Calcium, bone diseases, relation. I (Stearns and Boyd) xv
—, — —, —. II (Stearns and Boyd) lvi
—, hypercalcuria (Stearns and Boyd) xv
—, hypocalcuria (Stearns and Boyd) lvi
—, meat diet, prolonged (McClellan, Rupp, and Toscani) 669
Creatine, myositis ossificans (Bodansky and Schwab) x
Cytosine nucleosides (Emerson and Cerecedo) 453
Dextrin ingestion, rate following (Wesson) liii

Metabolism—*continued:*
Embryo. V (Calvery) 691
Fat. I (MacArthur) 299
Nitrogen, meat diet, prolonged (McClellan, Rupp, and Toscani) 669
Phenylalanine, intermediary (Chandler and Lewis) lvi
Phospholipid, rate (Sinclair) xxiii
Phosphorus, bone diseases, relation. I (Stearns and Boyd) xv
—, — —, —. II (Stearns and Boyd) lvi
—, hypercalcuria (Stearns and Boyd) xv
—, hypocalcuria (Stearns and Boyd) lvi
—, meat diet, prolonged (McClellan, Rupp, and Toscani) 669
Tyrosine, error (Medes) xi
Uracil nucleosides (Emerson and Cerecedo) 453
Women. IV (Okey, Stewart, and Greenwood) 91

Metal:
Salts, heavy, blood filtrates, preparation (Somogyi) xxxii

Methylene blue:
Lactic acid oxidation to pyruvic acid, blood (Wendel and Shaffer) xx

Milk:
Antirachitic value, cow exposed to radiations from quartz mercury vapor lamp (STEENBOCK, HART, RIISING, HOPPERT, BASHEROV, and HUMPHREY) 103
— —, — — to sunlight (STEENBOCK, HART, RIISING, HOPPERT, BASHEROV, and HUMPHREY) 103

Mold:
Sterol production (PREUSS) xliii

Morphine:
Withdrawal, energy changes (BARBOUR, GREGG, and HUNTER) xlv
—, metabolic rate changes (BARBOUR, GREGG, and HUNTER) xlv
—, water balance changes (BARBOUR, GREGG, and HUNTER) xlv

Muscle:
Contracture, chemical studies. IV (DAVENPORT, DAVENPORT, and RANSON) 295
—, fat change, tetanus toxin effect (DAVENPORT, DAVENPORT, and RANSON) 295
—, nitrogen change, tetanus toxin effect (DAVENPORT, DAVENPORT, and RANSON) 295
—, phosphorus change, tetanus toxin effect (DAVENPORT, DAVENPORT, and RANSON) 295

Muscle—*continued:*
Contracture, tetanus toxin effect on fat content (DAVENPORT, DAVENPORT, and RANSON) 295
—, — — — on nitrogen content (DAVENPORT, DAVENPORT, and RANSON) 295
—, — — — on phosphorus content (DAVENPORT, DAVENPORT, and RANSON) 295
Fat, contracture by tetanus toxin, changes (DAVENPORT, DAVENPORT, and RANSON) 295
Nitrogen, contracture by tetanus toxin, changes (DAVENPORT, DAVENPORT, and RANSON) 295
Phosphorus, contracture by tetanus toxin, changes (DAVENPORT, DAVENPORT, and RANSON) 295
Sugar, adrenalin depletion of (BISCHOFF and LONG) 47

Myositis fibrosa:
Generalized, myositis ossificans, comparison (BODANSKY and SCHWAB) x

Myositis ossificans:
Creatine metabolism (BODANSKY and SCHWAB) x
Myositis fibrosa, generalized, comparison (BODANSKY and SCHWAB) x

N

Necturus:
Blood plasma, molecular concentration, total, glomerular urine, comparison (WALKER) 499
Urine, glomerular, electrical conductivity (BAYLISS and WALKER) 523
—, —, molecular concentration, total, blood plasma, comparison (WALKER) 499

Nephritis:
Urine proteins, blood, edema fluids, comparison (CAVETT) xvi
— —, edema fluids, blood, comparison (CAVETT) xvi

Neuritis:
Antineuritic vitamin, isolation, Jansen-Donath procedure (WILLIAMS, WATERMAN, and GURIN) 559
— —, yeast growth, effect (WILLIAMS and ROEHM) 581
Glucose tolerance, avitaminosis, antineuritic vitamin (LEPKOVSKY, WOOD, and EVANS) 239

Nitrogen:
Blood, zinc filtrates (SOMOGYI) 339
Content, creatine ingestion effect (CHANUTIN) viii
—, fasting effect (CHANUTIN) viii
Nitrogen—*continued:*
Meat diet, prolonged (MCCLELLAN, RUPP, and TOSCANI) 669
Muscle contracture, tetanus toxin, changes (DAVENPORT, DAVENPORT, and RANSON) 295
Retention, depancreatized dogs, yeast influence (NASSET and PIERCE) xli
—, yeast influence (NASSET and PIERCE) xli
Urea, blood, Nesslerization, direct (LOONEY) xxix

Nucleoside:
Cytosine, metabolism (EMERSON and CERECEDO) 453
Uracil, metabolism (EMERSON and CERECEDO) 453

Nutrition:
Requirement, brook trout (MCCAY) v

O

Oil:
Cod liver. *See* Cod liver oil.

Optical activity:
d-Arginine (MILLER and ANDREWS) 435

Osmotic pressure:
Colloidal, blood, diabetes mellitus (RABINOWITCH) lvii

Ovary:
Hormone, follicular, preparation, crystalline (VELER, THAYER, and DOISY) 357

Ovary—*continued:*
Theelin, preparation (Veler, Thayer, and Doisy) 357
Oxidation:
Induced, blood (Wendel and Shaffer) xx
Oxidation-reduction:
Indicators (Michaelis and Eagle) 713
Potentials, sulfhydryl compounds (Williams and Drissen) 441
Systems, cystine reduction, kinetics (Preisler) 767
—, dithio acids, kinetics (Preisler) 767
Oxygen:
Tension, reduced, acid-base equilibrium, (Barron, Harrop, Perlzweig, and Pierce) xxv
Transport (Dill, Talbott, Edwards, and Fölling) xxvi
Utilization, legs, normal men (Florkin, Edwards, Dill, and Henderson) xxv

P

Pancreatectomy:
Nitrogen retention, yeast influence (Nasset and Pierce) xli
Yeast, nitrogen retention, influence (Nasset and Pierce) xli
Paraldehyde:
Cholesterol, blood, effect (Gray) 591
Phenol red:
Glomerular elimination, frog (Richards and Walker) 479
Phenylalanine:
Metabolism, intermediary (Chandler and Lewis) lvi
Phlorhizin:
Glucose tolerance curves, phlorhizinized dog, with and without glucose (Deuel) xxxvi
Phosphatase:
Blood plasma, bone diseases (Kay) lii
Phospholipid:
Metabolism rate (Sinclair) xxiii
Phosphorus:
Inorganic, blood, rickets, relation (Hess, Weinstock, Rivkin, and Gross) 37
—, —, women, monthly cycle (Okey, Stewart, and Greenwood) 91
—, — serum, ergosterol, activated (Massengale and Nussmeier) 415
Meat diet, prolonged (McClellan, Rupp, and Toscani) 669
Metabolism, bone diseases, relation. I (Stearns and Boyd) xv
—, — —, —. II (Stearns and Boyd) lvi
—, hypercalcuria (Stearns and Boyd) xv
—, hypocalcuria (Stearns and Boyd) lvi
Muscle contracture, tetanus toxin, changes (Davenport, Davenport, and Ranson) 295

Poison:
Toad (JENSEN and CHEN) xxxi
—, chemical study. II (JENSEN and CHEN) 741
—, — —. III (JENSEN and CHEN) 755

Potassium:
Blood serum, determination (BREH and GAEBLER) 81
— —, —(TAYLOR) 27
Determination, blood serum (BREH and GAEBLER) 81
—, — — (TAYLOR) 27

Potential:
Liquid junction, concentrated sodium hydroxide solutions (URBAN) xix
Oxidation-reduction, sulfhydryl compounds (WILLIAMS and DRISSEN) 441

Protein(s):
Aggregation, urea-water solutions (BURK and GREENBERG) 197
Blood, edema fluids, nephritic urine, comparison (CAVETT) xvi
—, nephritic urine, edema fluids, comparison (CAVETT) xvi
Edema fluids, nephritic urine, blood, comparison (CAVETT) xvi
Glycine synthesis, relation (GRIFFITH) xiii

Protein(s)—*continued:*
Intake, children, Chinese, American born (WANG and HAWKS) v
Nephritic urine, edema fluids, blood, comparison (CAVETT) xvi
Physical chemistry. VII (FLORKIN) 629
— —, non-aqueous and mixed solvents. I (BURK and GREENBERG) 197
Stomach, evacuation, calcium carbonate effect (RUSSELL and McDONALD) iv
—, —, — citrate effect (RUSSELL and McDONALD) iv
Tuberculin, fractionation (SEIBERT and MUNDAY) xvii
Urea-water solutions, aggregation (BURK and GREENBERG) 197

Pyrimidines:
Physiology. II (EMERSON and CERECEDO) 453

Pyruvic acid:
Lactic acid oxidation to, methylene blue, blood (WENDEL and SHAFFER) xx

Q

Quinhydrone:
Electrode, hydrogen ion concentration determination, blood serum (LAUG and WILSON) xxvii

R

Radiation:
Quartz mercury vapor lamp, cow exposed to, antirachitic value, milk (Steenbock, Hart, Riising, Hoppert, Basherov, and Humphrey) 103
Ultra-violet, calcium balances, negative, antirachitic relationship (Steenbock, Hart, Riising, Kletzien, and Scott) 127
—, urease inactivation (Tauber) 625

Radioactivity:
Vitamin A destruction (Hogan, Shrewsbury, and Breckenridge) xlii

Reduction:
Cystine and dithio acids, related, oxidation-reduction systems, kinetics (Preisler) 767
Equivalents, sugars, rare, colorimetric methods (Poe and Klemme) 7

Respiratory quotient:
Dextrin ingestion, effect (Wesson) liii

Rickets:
Calcium balances, negative, ultra-violet radiations, antirachitic relationship (Steenbock, Hart, Riising, Kletzien, and Scott) 127
Milk, cow exposed to quartz mercury vapor lamp, antirachitic value (Steenbock, Hart, Riising, Hoppert, Basherov, and Humphrey) 103
Milk, cow exposed to sunlight, antirachitic value (Steenbock, Hart, Riising, Hoppert, Basherov, and Humphrey) 103
Phosphorus, inorganic, blood, relation (Hess, Weinstock, Rivkin, and Gross) 37
Ultra-violet radiations, negative calcium balances, antirachitic relationship (Steenbock, Hart, Riising, Kletzien, and Scott) 127

Rous:
Sarcoma, No. 1, blood chemistry (Roe) liv

S

Salt(s):
Metal, heavy, blood filtrates, preparation (Somogyi) xxxii

Sarcoma:
Blood chemistry, Rous No. 1 (Roe) liv

Sessile bubble method:
Surface tension determination, gelatin solutions, concentration influence (Johlin) 319
— — —, — solutions, hydrogen ion concentration influence (Johlin) 319

Sodium:
Metallic, cystine reduction, liquid ammonia (DU VIGNEAUD, AUDRIETH, and LORING) xxx
Sodium hydroxide:
Solutions, concentrated, liquid junction potentials (URBAN) xix
Sterol:
Mold, production (PREUSS) xliii
Production, molds (PREUSS) xliii
Stomach:
Contents, hydrogen ion concentration, calcium carbonate effect (RUSSELL and MCDONALD) iv
—, — — —, calcium citrate effect (RUSSELL and MCDONALD) iv
Protein evacuation, calcium carbonate effect (RUSSELL and MCDONALD) iv
— —, — citrate effect (RUSSELL and MCDONALD) iv
Suckling:
Urea, blood, concentration, effect (PARSONS) xliv
Sucrose:
Hydrolysis, enzymatic, fructose activation (RONZONI) xxxiii
Sugar:
Blood, capillary, women, diurnal fluctuations (DIONNE and ARENSTAM) 393
—, diabetes, dialysis rate (BELL and KLEINER) xxxv
Sugar—*continued:*
Blood, dialysis rate (BELL and KLEINER) xxxv
—, total. III (EVERETT) 761
Muscle, adrenalin depletion of (BISCHOFF and LONG) 47
Reducing equivalents, rare, colorimetric methods (POE and KLEMME) 7
Urine, normal (EVERETT and SHEPPARD) xxxv
—, total. III (EVERETT) 761
Sulfate(s):
Conjugated, biological fluids, determination (WAKEFIELD and POWER) xv
—, determination, biological fluids (WAKEFIELD and POWER) xv
Inorganic, biological fluids, determination (WAKEFIELD and POWER) xv
—, determination, biological fluids (WAKEFIELD and POWER) xv
Sulfhydryl compounds:
Oxidation-reduction potentials (WILLIAMS and DRISSEN) 441
Sunlight:
Cow exposed to, antirachitic value, milk (STEENBOCK, HART, RIISING, HOPPERT, BASHEROV, and HUMPHREY) 103
Urease inactivation (TAUBER) 625

Suprarenal:
Epinephrine-lipoid combination (KOEHLER and EICHELBERGER) xxxviii

Surface tension:
Gelatin solutions, concentration, sessile bubble method, influence (JOHLIN) 319
— —, hydrogen ion concentration, sessile bubble method, influence (JOHLIN) 319

T

Tetanus:
Toxin, muscle contracture, fat changes (DAVENPORT, DAVENPORT, and RANSON) 295
—, — —, nitrogen changes (DAVENPORT, DAVENPORT, and RANSON) 295
—, — —, phosphorus changes (DAVENPORT, DAVENPORT, and RANSON) 295

Theelin:
Crystallography (SLAWSON) 373
Ovarian hormone, crystalline follicular, preparation (VELER, THAYER, and DOISY) 357
Preparation (VELER, THAYER, and DOISY) 357

Tissue:
Adipose, character (REED, YAMAGUCHI, ANDERSON, and MENDEL) 147
—, distribution (REED, YAMAGUCHI, ANDERSON, and MENDEL) 147

Tissue—*continued:*
Cystine determination (SULLIVAN, HESS, and CHASE) xxiv
Fat, neutral, beef (BLOOR and SNIDER) 399
Lipids, determination, micro (OSATO and HEKI) 541

Toad:
Bufo marinus, secretion (JENSEN and CHEN) 755
Poisons (JENSEN and CHEN) xxxi
—, chemical study. II (JENSEN and CHEN) 741
—, — —. III (JENSEN and CHEN) 755
Secretion, tropical (JENSEN and CHEN) 755
Venom, Chinese, ch'an su (JENSEN and CHEN) 741

Tolerance:
Glucose, avitaminosis, antineuritic vitamin (LEPKOVSKY, WOOD, and EVANS) 239
—, curves, phlorhizinized dog, glucose effect (DEUEL) xxxvi

Toxicity:
Cottonseed (NELSON and JONES) xlvii
Gossypol (NELSON and JONES) xlvii

Toxin:
Tetanus, muscle contracture, fat changes (DAVENPORT, DAVENPORT, and RANSON) 295

Toxin—*continued:*
Tetanus, muscle contracture, nitrogen changes (Davenport, Davenport, and Ranson) 295
—, — —, phosphorus changes (Davenport, Davenport, and Ranson) 295

Trout:
Brook, nutritional requirement (McCay) v

Trypsin:
Urease inactivation (Tauber) 625

Tryptophane:
Derivatives, kynurenic acid production (Berg) x
Egg, developing, hen's (Calvery) 691

Tubercle bacillus:
Lipoids, ether-soluble, carbohydrates (Anderson and Roberts) xvii

Tuberculin:
Protein, fractionation (Seibert and Munday) xvii

Tuberculosis:
Cystinuria (Lewis and O'Connor) lvii

Tyrosine:
Diiodo-, fate, animal organism (Foster and Gutman) 289
Egg, developing, hen's (Calvery) 691
Metabolism, error in (Medes) xi

U

Ultra-violet:
Radiation, calcium balances, negative, antirachitic relationship (Steenbock, Hart, Rising, Kletzien, and Scott) 127
—, urease inactivation (Tauber) 625

Uracil:
Nucleoside, metabolism (Emerson and Cerecedo) 453

Urea:
Blood, suckling effect (Parsons) xliv
Nitrogen, blood, Nesslerization, direct (Looney) xxix
-Water solutions, proteins, aggregation (Burk and Greenberg) 197

Urease:
Crystalline, inactivation, sunlight (Tauber) 625
—, —, trypsin (Tauber) 625
—, —, ultra-violet radiation (Tauber) 625

Urethane:
Cholesterol, blood, effect (Gray) 591

Uric acid:
Colloidal (Young and Musgrave) xvi
Egg, developing, hen's (Calvery) 691

Urine:
Cystine determination (Sullivan, Hess, and Chase) xxiv

Urine—*continued:*
Glomerulus, chlorides, frog (FREEMAN, LIVINGSTON, and RICHARDS) 467
—, electrical conductivity, frog (BAYLISS and WALKER) 523
—, — —, *Necturus* (BAYLISS and WALKER) 523
—, molecular concentration, total, blood plasma, comparison, frog (WALKER) 499
—, — —, —, blood plasma, comparison, *Necturus* (WALKER) 499
Nephritis, proteins, blood, edema fluids, comparison (CAVETT) xvi
—, —, edema fluids, blood, comparison (CAVETT) xvi
Sugar, normal (EVERETT and SHEPPARD) xxxv
—, total. III (EVERETT) 761

V

Venom:
Toad, Chinese, ch'an su (JENSEN and CHEN) 741

Vitamin(s):
A, antimony trichloride color reaction. II (NORRIS and CHURCH) 139
—, color reaction, antimony trichloride. II (NORRIS and CHURCH) 139
— destruction, radioactive materials (HOGAN, SHREWSBURY, and BRECKENRIDGE) xlii

Vitamin(s)—*continued:*
Antineuritic, isolation, Jansen-Donath procedure (WILLIAMS, WATERMAN, and GURIN) 559
—, yeast growth, effect (WILLIAMS and ROEHM) 581
B, antineuritic, avitaminosis, glucose tolerance (LEPKOVSKY, WOOD, and EVANS) 239
B_3, Williams-Waterman (EDDY, GURIN, and KERESZTESY) 729
C, electrical transference (MCKINNIS and KING) 615
D, isoergosterol and (BILLS, MCDONALD, and COX) liii
Fat-soluble. XXVIII (STEENBOCK, HART, RIISING, HOPPERT, BASHEROV, and HUMPHREY) 103
—. XXIX (STEENBOCK, HART, RIISING, KLETZIEN, and SCOTT) 127
Williams-Waterman B_3 (EDDY, GURIN, and KERESZTESY) 729

W

Water:
Balance, morphine withdrawal, changes (BARBOUR, GREGG, and HUNTER) xlv
Retention, carbohydrate, relationship (MCCLENDON) vii
—, fatty acids, volatile, relationship (MCCLENDON) vii

Water—*continued:*
Urea-, solutions, proteins, aggregation (BURK and GREENBERG) 197
Williams-Waterman:
Vitamin B_3 (EDDY, GURIN, and KERESZTESY) 729

X

Xanthoma:
Lipid (ECKSTEIN and WILE) 311

Y

Yeast:
Antineuritic vitamin, growth, effect (WILLIAMS and ROEHM) 581
Ergosterol content. I (BILLS, MASSENGALE, and PRICKETT) 259
Yeast—*continued:*
Ergosterol content, various species (BILLS, MASSENGALE, and PRICKETT) 259
Growth, antineuritic vitamin, effect (WILLIAMS and ROEHM) 581
Invertase diffusion, collodion membranes (NELSON and PALMER) 1
Nitrogen retention, depancreatized dogs, influence (NASSET and PIERCE) xli
— —, influence (NASSET and PIERCE) xli

Z

Zinc:
Blood filtrates, nitrogenous substances (SOMOGYI) 339